



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

$\overline{}$		Y	EU DIC DATE	CIDOT MANGED INDUCATION	ATTORNEY DOCKET NO.	CONTINUATIONANO	
	APPLICATION NO	•	FILING DATE	FIRST NAMED INVENTOR	ATTORNET DOCKET NO.	CONFIRMATION NO.	
	10/710,320		07/01/2004	Josep Maria Pares Casellas	04275	4319	
	23688	7590	09/23/2005		EXAM	EXAMINER	
	Bruce E. Harang PO BOX 872735				STERLING	STERLING, AMY JO	
	VANCOUVER, WA 98687-2735				ART UNIT	PAPER NUMBER	
					3632		

DATE MAILED: 09/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/710,320	PARES CASELLAS, JOSEP					
Office Action Summary	Examiner	MARIA Art Unit					
	Amy J. Sterling	3632					
The MAILING DATE of this communication ap							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 19 J	Responsive to communication(s) filed on 19 July 2005.						
·— ·	<u> </u>						
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) 3 and 4 is/are pending in the applica	)⊠ Claim(s) <u>3 and 4</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>3,4</u> is/are rejected.	☑ Claim(s) <u>3,4</u> is/are rejected.						
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D  5) Notice of Informal F  6) Other:						

Application/Control Number: 10/710,320

Art Unit: 3632

### **DETAILED ACTION**

This is the **Final Office Action** for application number 10/710,320 Quick fixing System for an Electrical Distribution Box, filed on 7/1/04. Claims 3 and 4 are pending. This **Final Office Action** is in response to applicant's reply dated 7/19/05. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action.

### Claim Rejections - 35 USC § 112

Claim 4 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 4 recites, that "the two catches are coplanar to one another and perpendicular to said two catches" and it is unclear how the two catches can be both coplanar and perpendicular to themselves.

## Claim Rejections - 35 USC § 102

Claims 3 and 4 are rejected under 35 U.S.C. 102(b) as being anticipated by United States Patent No. 4462564 to Alves et al.

The patent to Alves et al. teaches an electrical distribution box having a body (14) and a lid the body having a mounting extension terminating in a plurality of

Application/Control Number: 10/710,320

Art Unit: 3632

mounting catches (51, 51') arranged in a U configuration and are coplanar to one another and perpendicular, and a sheet metal mounting support brackets (70) having a plurality of complementary catch receiving means having two end tabs and two notches.

### Response to Arguments

Applicant's arguments with respect to claims 3 and 4 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action. Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to

Application/Control Number: 10/710,320 Page 4

Art Unit: 3632

reach the examiner are unsuccessful, the examiner's supervisor, Robert Olszewski can be reached at 571-272-6788. The fax machine number for the Technology center is 7571-273-8300 (formal amendments) or 571-273-6823 (informal amendments and communications). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Amy J. Sterling

9/3/05

KIMBERIA WOOD
PRIMARY EXAMINER